

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

540067
List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each community public water system to develop and distribute a consumer

Mucedonia Watu Public Water Supply Name

| must | t be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon req | , this CCR uest. |
|----------------------------|---|---------------------|
| Pleas | se Answer the Following Questions Regarding the Consumer Confidence Report | |
| L) | Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other) | |
| | Advertisement in local paper On water bills Other | |
| | Date customers were informed: <u>Ob /30/10</u> | |
| | CCR was distributed by mail or other direct delivery. Specify other direct delivery methods: | |
| | Date Mailed/Distributed:// | Carry Carry |
| <u></u> | CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) | |
| | Name of Newspaper: | IV . |
| | Date Published:// | State . |
| | CCR was posted in public places. (Attach list of locations) | denotes - |
| | Date Posted:/_/_ | မ္ |
| 1.2 | CCR was posted on a publicly accessible internet site at the address: www | |
| CER' | RTIFICATION | |
| the fo consist Depar | eby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water form and manner identified above. I further certify that the information included in this CCR is true and consistent with the water quality monitoring data provided to the public water system officials by the Mississ artment of Health, Bureau of Public Water Supply. | ect and is |
| <u>-0,</u> | 10-18-10 Date | |
| Nam | | |
| | Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518 | |

570 East Woodrow Wilson & Post Office Box 1700 & Jackson, Mississippi 39215-1700

Corrected 2009 CCR

Is my water safe?

Last year, as in years past, your tap water met all U.S. Environmental Protection Agency (EPA) and state drinking water health standards. MSDH vigilantly safeguards our water supplies and once again we are proud to report that our system has not violated a maximum contaminant level or any other water quality standard.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

We get our water from 2 deep wells located in our service area.

Source water assessment and its availability

Source water assessments has been completed on both wells and can be obtained from Mississippi Department of Environmental Quality.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity: microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

How can I get involved?

You may attend any meeting of the Board, and you may volunteer to serve on the Board. Contact Dennis Mangrum, Board President or Barry Glover, Operator of Concord-Macedonia Water Association.

Water Conservation Tips

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference – try one today and soon it will become second nature.

- Take short showers a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath.
- Shut off water while brushing your teeth, washing your hair and shaving and save up to 500 gallons a month.
- Use a water-efficient showerhead. They're inexpensive, easy to install, and can save you up to 750 gallons a month.
- Run your clothes washer and dishwasher only when they are full. You can save up to 1,000 gallons a month.
- Water plants only when necessary.
- Fix leaky toilets and faucets. Faucet washers are inexpensive and take only a few minutes to replace. To check your toilet for a leak, place a few drops of food coloring in the tank and wait. If it seeps into the toilet bowl without flushing, you have a leak. Fixing it or replacing it with a new, more efficient model can save up to 1,000 gallons a month.
- Adjust sprinklers so only your lawn is watered. Apply water only as fast as the soil can absorb it and during the cooler parts of the day to reduce evaporation.
- Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!
- Visit <u>www.epa.gov/watersense</u> for more information.

Source Water Protection Tips

Protection of drinking water is everyone's responsibility. You can help protect your community's drinking water source in several ways:

- Eliminate excess use of lawn and garden fertilizers and pesticides they contain hazardous chemicals that can reach your drinking water source.
- Pick up after your pets.
- If you have your own septic system, properly maintain your system to reduce leaching to water sources or consider connecting to a public water system.
- Dispose of chemicals properly; take used motor oil to a recycling center.
- Volunteer in your community. Find a watershed or wellhead protection organization in your community and volunteer to help. If there are no active groups, consider starting one. Use EPA's Adopt Your Watershed to locate groups in your community, or visit the Watershed Information Network's How to Start a Watershed Team.
- Organize a storm drain stenciling project with your local government or water supplier. Stencil a message next to the street drain reminding people "Dump No Waste Drains to River" or "Protect Your Water." Produce and distribute a flyer for households to remind residents that storm drains dump directly into your local water body.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Concord Macedonia Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Water Quality Data Table

The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently.

| | MCLG | MCL, | V | D. | | C1- | | |
|---|-------------|-------------|---------------|---------|-------------|-----------------------|----------------|--|
| Contaminants | or MRDLG | TT, or MRDL | Your Water | į. | nge High | Sample <u>Date</u> | Violation | Typical Source |
| Disinfectants & Disin | | | | LOW | Insu | Date | Violation | 1 your source |
| | | | | sinfect | ant is n | ecessary | for control of | of microbial contaminants) |
| TTHMs [Total Trihalomethanes] (ppb) | NA | 80 | 2.74 | NA | | 2009 | No | By-product of drinking water disinfection |
| Chlorine (as Cl2) (ppm) | 4 | 4 | 0.62 | 0.56 | 1.32 | 2009 | No | Water additive used to control microbes |
| Inorganic Contamin | ants | | | | | | | |
| Nitrate [measured as Nitrogen] (ppm) | 10 | 10 | 0.2 | 0.2 | 0.2 | 2009 | No | Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits |
| Nitrite [measured as Nitrogen] (ppm) | 1 | 1 | 0.05 | 0.05 | 0.05 | 2009 | No | Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits |
| Volatile Organic Cor | ıtaminants | 3 | | | | | | |
| Carbon Tetrachloride (ppb) | 0 | 5 | 0.5 | ND | 0.5 | 2009 | No | Discharge from chemical plants and other industrial activities |
| Benzene (ppb) | 0 | 5 | 0.5 | ND | 0.5 | 2009 | No | Discharge from factories; Leaching from gas storage tanks and landfills |

| 1,1,1-Trichloroethane (ppb) | 200 | 200 | 0.5 | ND | 0.5 | 2009 | No | Discharge from metal degreasing sites and other factories |
|---|-----|-----|-----|----|-----|------|----|---|
| 1,1,2-Trichloroethane (ppb) | 3 | 5 | 0.5 | ND | 0.5 | 2009 | No | Discharge from industrial chemical factories |
| 1,2,4- Trichlorobenzene (ppb) | 70 | 70 | 0.5 | ND | 0.5 | 2009 | No | Discharge from textile- finishing factories |
| 1,2-Dichloroethane (ppb) | 0 | 5 | 0.5 | ND | 0.5 | 2009 | No | Discharge from industrial chemical factories |
| 1,1-Dichloroethylene (ppb) | 7 | 7 | 0.5 | ND | 0.5 | 2009 | No | Discharge from industrial chemical factories |
| 1,2-Dichloropropane (ppb) | 0 | 5 | 0.5 | ND | 0.5 | 2009 | No | Discharge from industrial chemical factories |
| Chlorobenzene (monochlorobenzene) (ppb) | 100 | 100 | 0.5 | ND | 0.5 | 2009 | No | Discharge from chemical and agricultural chemical factories |
| Xylenes (ppm) | 10 | 10 | 0.5 | ND | 0.5 | 2009 | No | Discharge from petroleum factories; Discharge from chemical factories |
| cis-1,2- Dichloroethylene (ppb) | 70 | 70 | 0.5 | ND | 0.5 | 2009 | No | Discharge from industrial chemical factories |
| Dichloromethane (ppb) | 0 | 5 | 0.5 | ND | 0.5 | 2009 | No | Discharge from pharmaceutical and chemical factories |
| o-Dichlorobenzene (ppb) | 600 | 600 | 0.5 | ND | 0.5 | 2009 | No | Discharge from industrial chemical factories |
| p-Dichlorobenzene (ppb) | 75 | 75 | 0.5 | ND | 0.5 | 2009 | No | Discharge from industrial chemical factories |
| Vinyl Chloride (ppb) | 0 | 2 | 0.5 | ND | 0.5 | 2009 | No | Leaching from PVC piping; Discharge from plastics factories |
| trans-1,2- Dicholoroethylene (ppb) | 100 | 100 | 0.5 | ND | 0.5 | 2009 | No | Discharge from industrial chemical factories |
| Tetrachloroethylene (ppb) | 0 | 5 | 0.5 | ND | 0.5 | 2009 | No | Discharge from factories and dry cleaners |
| Toluene (ppm) | 1 | 1 | 0.5 | ND | 0.5 | 2009 | No | Discharge from petroleum factories |
| Ethylbenzene (ppb) | 700 | 700 | 0.5 | ND | 0.5 | 2009 | No | Discharge from petroleum refineries |
| Styrene (ppb) | 100 | 100 | 0.5 | ND | 0.5 | 2009 | No | Discharge from rubber and plastic factories; Leaching from landfills |
| Trichloroethylene (ppb) | 0 | 5 | 0.5 | ND | 0.5 | 2009 | No | Discharge from metal degreasing sites and other factories |

Undetected Contaminants

The following contaminants were monitored for, but not detected, in your water.

| | MCLG | MCL | | | |
|----------------------------------|--------------|------|--------------|------------------|---|
| | or | or | Your | | |
| Contaminants | MRDLG | MRDL | <u>Water</u> | <u>Violation</u> | Typical Source |
| Haloacetic Acids (HAA5) (ppb) | NA | 60 | ND | I INO | By-product of drinking water chlorination |

| nit Descriptions | | | | | | |
|------------------|--|--|--|--|--|--|
| Term | Definition | | | | | |
| ppm | ppm: parts per million, or milligrams per liter (mg/L) | | | | | |
| ppb | ppb: parts per billion, or micrograms per liter (μg/L) | | | | | |
| NA | NA: not applicable | | | | | |
| ND | ND: Not detected | | | | | |
| NR | NR: Monitoring not required, but recommended. | | | | | |

| Important Drinking Water Definition | s |
|-------------------------------------|---|
| Term | Definition |
| MCLG | MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety. |
| MCL | MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology. |
| TT | TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water. |
| AL | AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow. |
| Variances and Exemptions | Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions. |
| MRDLG | MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. |
| MRDL | MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants. |
| MNR | MNR: Monitored Not Regulated |
| MPL | MPL: State Assigned Maximum Permissible Level |

For more information please contact:

Contact Name: Barry Glover

Address:

839 Tom Cooper Road Batesville, MS 38606 Phone: 662.563.8203 E-Mail: b4real@hughes.net

PROOF OF PUBLICATION OF NOTICE

State of Mississippi **Panola County**

Having personally appeared before me, the undersigned Authority, in and for the County and State aforesaid, David Howell, who being by me first duly sworn, states on oath that he is, as manager, a representative of

The Southern Reporter

a newspaper published in the City of SARDIS, in the First Judicial District of Panola County, State of Mississippi, and that the publication of the notice, a copy of which is hereto attached, has been run in said paper one (1) as follows:

Vol. 154, No. 38 On the 17th day of June, 2010

and that said newspaper was established more than twelve (12) months prior to the date of the first publication of said notice.

Sworn to and subscribed before me, this 17th day of June, 2010.

Notary Public Malofe Havey



Sel attached

Water CCR - Concord Macedonia Water Association

Lest year, as in years past, your tap water met all U.S. Environmental Protection Agency (EPA) and state drinking water beath standards. MSDH vigilantly safiguards our water supplies and once again we are proud to report that our system has not violated a maximum contaminant level or any other water quality standard.

Do I seed to take special presentions?

Some people may be more subcerable to contaminants in drinking water than the general population, Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergoed organ transplants, people with HIVAIDS or other immune system disorders, some ciderty, and inflants can be particularly at risk frum infectious. These people should seek alreyles about derinking water from their health care providers. EPA/Couters for Direase Control (CDC) guidelines on appropriate means to lessage the risk of infection by Crystopordidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?
We get our water from 2 deep wells located in our service area.

Source water assessment and its availability
Source water assessment has been completed on both wells and can be obtained from
Mississippl Department of Environmental Quality.

Mississippi Department of Enzytonmental Quenty.

Why are there contaminates is my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small is amounts of some contaminants. The pressure of contaminants and potential health effects can be obtained by calling the floridomental Protection Agency's (EA) Safe Drinking Water Holling (300-426-478).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground; if disported naturally occurring intensis and, in some cases, reallocative materials, and can pick up substances resulting from the presence of animals or from human activity; and can pick up substances resulting from the presence of animals or from human activity; and care pick up substances resulting from the presence of animals or from human activity; according to the substances resulting from the presence of animals or from human activity; according to the presence of animals or from human activity; according to the presence of animals or from human activity; according to the presence of animals or from human activity; according to the present of the plant of the present of the plant of th

You may attend any meeting of the Board, and you may volunteer to serve on the Board. Contact Dennia Mangrum, Board President or Barry Glover, Operator of Concord-Macedonia Water Association.

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference – up one today and sogn it will

| Contaminants | MCLG MBDLG | TT, e | You Was | | | Sampl Date | Yigiai | ion Typical squise |
|---|---------------|----------|------------|------|------|---------------|--------|---|
| Oldsfectors (1710) | alpeiant | By-Prodi | 160 | | | | | |
| FTHMs [Total Tribalomethanes] (ppb) | NA | 80 | 27 | 1000 | | 2009 | No. | ol of microbile contemporaris) By-product of drinking was dishafortion |
| (aorganic Contamio | 202 | 1 | 1 | 1 | | | | Runott from fertiliper use |
| Nitrate (measured as Nitrogen) (ppm) | 10 | 10 | 0.2 | 0.2 | 0.2 | 2009 | No | Leaching from septic tanks sewage; Frosion of natural deposits |
| Vitrijo (measured as Vitragon) (ppm) | - 1 | , | 9.05 | 0.03 | 0.05 | 2009 | No | Runoff from fertilizer use: Leaching from septic tanks sowage: Erasion of natural |
| olatile Organic Cor | taminus: | 4 | ٠ | | • | | | Reposits |
| Darbon Totractatoride ppb) | q | 5 | 0.5 | МО | 0.5 | 2009 | No | Discharge from chemical plants and other industrial activities |
| Senzejie (pph) | Ø | 5 | 0,5 | ND | 0.5 | 3009 | No | Discharge from factories; Leaching from gas storage tanks and landfills |
| , i , i - Trichloroethanc opb) | 200 | 200 | 0.5 | ND | 0.5 | 2009 | No | Discharge from metal degressing sites and other factories |
| 1,2-Trichloroethane | 3 | 5 | 0.5 | ND | 0.5 | 2009 | No | Oischarge from industrial chemical factories |
| 2,4-Trichlorobenze (ppb) | 70 | 70 | 0.5 | ND | 0.5 | 2009 | No | Discharge from extile-finishing factories |
| 2-Dichloroethens pb) 1-Dichloroethylene | D | 5 | 0.5 | ND | 0.5 | 2009 | No | Discharge from industrial chemical factories |
| (PD) | 7 | 7 | 0,5 | ND | 0.5 | 2009 | No | Discharge from industrial chemical factories |
| 2-Dickloropropage pb) hlorobenzene | 0 | 3 | 0,5 | ND | 0.5 | 2009 | No | Discharge from industrial chemical factories |
| ponochlorobenzene) pb) | 100 | 100 | 0.5 | ND | 0.5 | 2009 | No | Discharge from chemical and agricultural chemical factoric |
| ylenca (ppm) | 10 | 10 | 0.5 | НD | 0.5 | 2009 | No | Oischarge from petroleum factories; Discharge from chemical factories |
| et,2-Dichloroethyd e (ppb) | **** | 70 | 0.5 | ND | U,S | 2069 | No. | Discharge from industrial chemical factories |
| chloromethane pb) | o | 5 | 0.5 | ND | 0.5 | 2009 | No | Discharge from pharmaconical and chemical approved |
| Dichlorobenzene pb) | 600 | 600 | 0.5 | æ | 0.5 | 2009 | No | Discharge from Industrial chemical factories |
| Dichlorobenzeno ab) | 75 | 75 | 0,5 | ND | 0.5 | 2009 | No | Discharge from industrial chemical factories |
| nyl Chloride (ppb) | 0 | 2 | 0.5 | χĐ | 0.5 | 2009 | No | Leaching from PVC piping. Discharge from plantes factories |
| ns-1,2-Dicholorost iene (ppb) | 100 | 100 | 0.5 | ND | 0.5 | 2009 | No | Oisoharge from industrial chemical factories |
| trachloroethylens (b) | o | 5 | 0.5 | 20 | 0.5 | 2009 | No | Discharge from factories and dry cleaners |
| uene (upm) | , 1 | | 0.5 | סא | 0.5 | 2009 | No | Discharge from petroleum |

Source Water Projection Tips

Protection of delaking water is everyone's responsibility. You can help protect your
community's drinking water source in several ways:

- intelly a drinking water source in several ways:

 Eliminate excess use of lawn and garden fertilizers and pesticides they contain hazardous chemicals that can reach your drinking water source.

 Pick up after you pets.

 If you have your pets.

 If you have your own sopic system, properly maintain your system to reduce leaching to water sources or consider commoding to a public water system.

 Dispose of chemicals properly take used motor off to a recycling center.

 Volunteer in your community: Find a watershed or wellbased protection organization in your community and volunteer to hab. If there are no active groups, consider starting one. Use EPA's Adopt Your Watershed to locate groups in your community, or visit the Watershed Information Nativor's 1 flow to Start a Watershed Team.

 Organize a storm druln standling project with your local government or water supplier. Stenel is necasing next to the active drink promised goods ("Dump Ne Waters" Delian to River" e "Protect Your Waters." Produce and distribute a flyer for households to remind residents that storm drains dump directly into your local water body.

us, elevated levels of Jack on cause serious health problems, especially for prognent and young children. Lead in drinking water is primarily from materials and equiponents and young children. Lead in drinking water is primarily from materials and equiponents of with service lines and home plumbing. Concord Macdodinal Association is exponsible riding high quality drinking water, but cannot control the watery of materials used in the good property. When your waster has been stitling for several hours, you can explain the the first lead exposure by flushing your tap for 10 seconds to 2 mirruans before usage water thing or contain. If you are sonocord about lead in your water, and waster the set of the property of the service of the property o

Water Quality Data Table

| Ethylbenzene (ppb) | 700 | 700 | 0.5 | ZD. | 0.5 | 2009 | | Discharge from petroleum |
|----------------------------|-----|-----|-----|-----|-----|------|----|--|
| Styrens (ppb) | 100 | 100 | ده | ND | 0.5 | 2009 | No | Discharge from rubber and plastic factories; Leaching from saudfills |
| Trichloroethylone (ppb) | Ö | 5 | 0,5 | ΝĐ | 0.5 | 2009 | No | Discharge from metal degreasing sites and other factories |

Undetected Contaminants

| Contaminante | MCLG or MRDLG | MCL br MRDL | Your Water | Violation | Typical Source | | | |
|----------------------------------|---------------------|---|---------------------------|--------------------------------|--|--|--|--|
| Haloacetic Acids (HAAS) (ppb) | NA | 60 | טא | , No | By-product of drinking water chlorination | | | |
| Unit Descriptions | | | | | | | | |
| Term | | | | 1 | Definition | | | |
| ррип | 2000000 | 9 | | | or milligrams por liter (mg/L) | | | |
| ppb | | | ppb: po | ns per billion, | or micrograms per liter (µg/L) | | | |
| NA NA | | | | | not applicable | | | |
| ND | | 4 | | | Not detected | | | |
| NR. | | | NR: A | ionitoring not | required, but recommanded. | | | |
| Important Drinking Wate | er Definition | | | | | | | |
| Term | | | 777 | C | effaition | | | |
| MCLG | | MCLG in dri | nking wate | Contaminam | Level Coal: The level of a contaminar there is no known or expected risk to ow fire a margin of safety | | | |
| MCL | | MCL: N that is a | daximum C llowed in d | lontamioant L ricking water | evel: The highest level of a contaminum MCLs are set as close to the MCLGs a evallable treatment rechnology. | | | |
| 717 | | 77.7 | realment T | eshinkque, Au | equired process intended to reduce the | | | |
| AL | | exceede | d, triggers | treatment or o | entration of a conjunition which, if the requirements which a water system of follow. | | | |
| Variances and Exen | nptions | 1000 | OL T DE | propert technic | or EPA permission not to meet an MC ue under certain conditions. | | | |
| MRDLG | | drinkin | g water dis to health. | infectant belo MRDLGs do i | disinfection tevel goal. The level of a w which there is no known or expected not reflect the benefits of the use of of microbial contaminants. | | | |
| MRDL | disinfect | MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants. | | | | | | |
| MNR | | | | | ored Not Regulated | | | |
| MPL | | 170 | MPL S | | Maximum Permissible Level | | | |

Por more information please contact:
Coasset Name: Barry Clover
Address:
489 Tom Cooper Read
Batesville, MS 38506
Phone: 662-58; 2003
E-Mail: b4real@hugher.net

2009 CCR Contact Information

| Date:_ | 7/22/10 | Time: 1: 24 |
|---------|-------------------------------|--|
| PWSII | : 540067 | |
| System | Name: Coccol | Macedonia |
| | Lead/Copper Language | Chlorine Residual (MRDL) RAA |
| Violati | Other | |
| Will co | rrect report & mail copy ma | arked "corrected copy" to MSDH. |
| Will no | tify customers of availabilit | ty of corrected report on next monthly bill. |
| | do Corrected Con | ou and fax to us 7/23/10 |
| will | | on water Bill of available Corrected |
| | | py and fax to us 7/23/10 r on water Bill of available Corrected |
| will | | py and fax to us 7/23/10 r on water Bill of available Corrected |
| will | | py and fax to us 7/23/10 r on water Bill of available Corrected |
| will | | py and fax to us 7/23/10 r on water Bill of available Corrected |
| will | | py and fax to us 7/23/10 r on water Bill of available Corrected |
| will | | on water Bill of available Corrected |
| will | | on water Bill of available Corrected |
| will | | on water Bill of available Corrected |